

ORDER FORM



Complete Saddle Set (eccentric / level invert)

Company:

Contact person / Telephone:



Address:

Postcode / town or city:



Ovoid

Circular



Customised product - return not possible!

DN/OD Connection	Please cross					Please complete		Nominal dia- meter main pipe (ovoid) in mm, e.g. 500/700	Please complete				Please complete		
	Colour grey	Connection socket	HS® brown	HS® blue	Connection socket	B Large collar outer diame- ter „standard“ in mm	B Large collar outer diame- ter „special“ in mm		t1 in mm	t2 in mm	t3 in mm	b in mm	ID inner dia- meter main pip (circu- lar) in mm	S in mm	D* in mm
DN/OD 110		DM			DM	250 x 250									
DN/OD 125		DM			DM	300 x 300									
DN/OD 160		DM			VM	320 x 320									
DN/OD 200		DM			VM	360 x 360									
DN/OD 250		DM			DM	400 x 400									

*The measurement D may not be smaller than 1/10 of the main pipe's nominal width in mm!

Larger nominal diameters available on request.

DN/OD Connection	Recommend- ed bore hole mm	supplied quantity of adhesive sets (adhesive, hardener, primer)
DN/OD 110	112	1
DN/OD 125	127	1
DN/OD 160	162	1
DN/OD 200	200–212	1
DN/OD 250	257	2

Accessories:


Saddle clamp for connection nominal diameter DN/OD 110 - 250

Please note: depending on bore hole size / connection, the statics of the main pipe must be checked or observed"

Send


Fax: 02388 3071-7550

Ovoid:



Notes:

Circular:



Notes:
